

L Number	Hits	Search Text	DB	Time stamp
4	9778	network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 11:35
5	6483	(network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 11:38
6	1376	((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 11:38
7	1056	((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:43
8	7289	((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 11:39
10	163	((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 11:47
12	2	((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and (map or table) near10 (current or past or future or expected or predict\$3) adj5 configuration adj3 (data or information or parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 11:43
13	11	((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and (map or table or list or storage or memory or storing or store) near10 (current or past or future or expected or predict\$3) adj5 configuration adj3 (data or information or parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 11:45
14	69	((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and (map or table or list or storage or memory or storing or store) near10 (current or past or future or expected or predict\$3) with configuration adj3 (data or information or parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 11:57

BEST AVAILABLE COPY

15	8	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj server) and (((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and (map or table or list or storage or memory or storing or store) near10 (current or past or future or expected or predict\$3) with configuration adj3 (data or information or parameter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:45
16	28	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj5 (server or tree) and (network with configuration).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 11:57
17	1	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj5 (server or tree) and (network with configuration).ti,ab.) and (map or table or list or storage or memory or storing or store) near10 (current or past or future or expected or predict\$3) with configuration adj3 (data or information or parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:00
18	0	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj5 (server or tree) and (network with configuration).ti,ab.) and (map or table or list or storage or memory or storing or store) near10 (change or difference) near5 configuration adj3 (data or information or parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:01
19	2	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj5 (server or tree) and (network with configuration).ti,ab.) and (map or table or list or storage or memory or storing or store) near10 (change or difference) near5 (data or information or parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:36
20	2	("6119157").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:58
22	37	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and stor\$3 near10 (first or typical or current or one) adj3 configuration and (additional or second or another or other or alternative or different) adj configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:10

23	38	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj server) and (first or typical or current or one) adj3 configuration and (additional or second or another or other or alternative or different) adj configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:03
24	2	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj5 (server or tree) and (network with configuration).ti,ab.) and (((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj server) and (first or typical or current or one) adj3 configuration and (additional or second or another or other or alternative or different) adj configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:02
25	171	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and stor\$3 near10 (differential or difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:03
27	1	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj5 (server or tree) and (network with configuration).ti,ab.) and stor\$3 near10 (differential or difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:04
26	18	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj server) and stor\$3 near10 (differential or difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:35
29	43	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and stor\$3 near10 (first or typical or current or one or static) adj3 configuration and (additional or second or another or other or alternative or different or difference or differential or dynamic) adj configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:12

BEST AVAILABLE COPY

30	0	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and stor\$3 near10 (first or typical or current or one or static) adj3 configuration and (additional or second or another or other or alternative or different or difference or differential or dynamic) adj configuration) and (((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:12
31	6	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and stor\$3 near10 (first or typical or current or one or static) adj3 configuration and (additional or second or another or other or alternative or different or difference or differential or dynamic) adj configuration) not (((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and stor\$3 near10 (first or typical or current or one) adj3 configuration and (additional or second or another or other or alternative or different) adj configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:12
28	17	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj server) and stor\$3 near10 (differential or difference) near5 (configuration or data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:41
32	17	(((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj server) and stor\$3 near10 (differential or difference) near5 (configuration or data or information)) and (sav\$3 or reduc\$3) near5 (memory or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:36
33	18	((manag\$5 with configuration with (data or information or parameter)).ti,ab. and stor\$3 near10 (differential or difference) near5 (configuration or data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:42
34	18	((manag\$5 with configuration with (data or information or parameter)).ti,ab. and stor\$3 near10 (differential or difference) near5 (configuration or data or information)) not (((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj server) and stor\$3 near10 (differential or difference) near5 (configuration or data or information)) and (sav\$3 or reduc\$3) near5 (memory or storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:43

35	13	(((manag\$5 with configuration with (data or information or parameter)).ti,ab. and stor\$3 near10 (differential or difference) near5 (configuration or data or information)) not ((((((network near4 (configure or configuration or configuring) and (709/22\$ or 370/\$6).ccls.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)) or (((379/112.05) or (379/112.01) or (379/111) or (370/254)).CCLS.) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427))) and directory adj server) and stor\$3 near10 (differential or difference) near5 (configuration or data or information)) and (sav\$3 or reduc\$3) near5 (memory or storage))) and (@AD<20000427 or @RLAD<20000427 or @PRAD<20000427)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:43
----	----	--	---	------------------

BEST AVAILABLE COPY